

#CMAAlondon25

The radio
communications
network of the
future



CMA 
Critical Messaging Association

London
October 29th – 31st
Buschgens Johan
Anizet Olivier

ASTRID services today




#CMALondon25



**Radiocommunication
Network**




Paging System



Blue Light Mobile



Emergency centers



Training center



Overview of current Radio services



#CMALondon25



**Radiocommunication
TETRA**

> **57.000** users

> **10.000**

Group communications every day

7,6 (NPS* : **+9**)

Customer satisfaction survey 2024



Paging System


> **25.000** users

> **10.000**

Pages every day

8,2 (NPS* : **+32**)

Customer satisfaction survey 2024



Blue Light Mobile

> **10.000** users


> **7000 (+24%)**

GB Data every month

6,8 (NPS* : **-12**)

Customer satisfaction survey 2024

(*) **Net Promoter Score** = a metric used in customer experience programs



“How likely is it that you would recommend **ASTRID / Service**”

*Satisfaction on a scale of 0-10
**NPS = Net Promotor score on a scale of -100 to +100



Why extending Pocsag network for 7 years?



AGENDA

- 1) Usage & continuity
- 2) Market
- 3) Alternative
- 4) Key objectives '26
- 5) Next Gen com program
- 6) Message Alerting roadmap +2030



#CMALondon25

Usage 11.663 msg/day 1H'25

The way messages are send to pagers is changing

	2018	2019	2020	2021	2022	2023	2024
# Pages by SDS-to-page	964.015	862.431	681.402	553.543	128.939	41.453	33.207 
# Pages by HTTP-to-page	2.086.770	2.541.691	2.657.081	3.068.858	3.773.979	3.464.413	4.155.114 
# Pages by Phone	17.191	16.041	13.893	14.593	14.075	12.208	12.838 

- Stable users' portfolio of 27k users.
- Ongoing demand MC-alerting network.
- Best possible indoor coverage.
- Customer satisfaction 2024 with the current system remains high.
 - Customer Satisfaction: 8,2/10
 - Net Promoter Score: 32

<u>1H 2025</u>	
HTTP-2-PAGE:	2.106.055 messages
SDS-2-Page:	16.713 messages
Phone-2-Page	5.872 messages

Market



#CMALondon25

Alarmterminals

The alarmterminal market is still developing.

Providers: FrontForce, Systel, Abiom, Verdi, Swissphone S-One.... cloud solutions development

Devices

8~10 years device lifetime.

New development from Swissphone on the s-Quad C-series (Q4 '25, new FW)

TPL opened a new production & injection (plastics molding) site in France. (1M€+ investment)

Services

Encryption service has positive response in the market and more encrypted pagers to be activated 2026-....

Next Gen Message Alerting can become key for e-SIM pagers and Smart-phone applications

Our customers

Positive advice for 2032 extension, 27.000 active users.

Demand for sufficient alarm-terminal redundancy (HTTP-, SDS- & Phone-2-page)

Next Gen Message Alerting strategy to be developed. (NxtGen, MC-RAN)

Lack of alternatives

Alternatives

Tetra call-out not selected because limited coverage (more TB's required, TETRA pagers/devices & alarm terminals adaptations)

Broadband call-out potential evolution when NxTgen ready (MCData, Wifi, eMBMS,... ?)

Superior Coverage (POCSAG)

Low-frequency signals (169.625 MHz) penetrate buildings, basements, tunnels, hospitals.

Indoor coverage 99,9%, other technology not available.

High Reliability

Independent from mobile networks → works during congestion, failures, cyberattacks Proven in disasters & terrorist events

One-to-Many Messaging

Sends messages to thousands simultaneously

Faster and more robust than mobile networks


Simplicity & Security

Dedicated devices → fewer distractions & lower hacking risk

Ensures confidential alerts (Encryption)

Critical in Emergency & Healthcare

Fire brigades, ambulances rely on paging Works even during 2G-3G-4G-5G network blackouts



Priorities and key objectives for 2026⁺



Radio and localisation

Max. performance & transition

- Further **maximize** performance, coverage (Indoor) and resilience



Continuity of support with new **contractual framework (TETRA Devices)**

- Lay the ground for future technological shift (**P2T app**)



Message alerting

Optimal performance & usage

- Continuity of support with new **contractual framework (Paging devices)**
- “Smart” and simple answer to needs of **bi-directional alerting**
- “Next step ?” From PoCSAG to 5G
→ **NxTGen**
→ **Broadband Call-out ?**



NxTGen


MC-RAN roll out
MC-x app
Interworking

.....

ASTRID's NextGenCom program taking Belgium's Critical Communications to the next level




**Emergency situations
require multidisciplinary
cooperation**



Our users are using a wide range of networks and devices




FOCUS ON: Coverage – Availability – Resilience – Reliability



>99.99%



ASTRID's hybrid MCRAN + MOCN architecture



Why we are choosing for a hybrid network solution (1)



A state-of-the-art mobile PPDR network that's **reliable, available, secure, and affordable**

- **Hybrid** is the best approach for assuring **coverage** and **capacity**
- **Maximal sovereignty** and **cyber security** through ASTRID MCRAN, independent core, own data centres and dark fibre network
- Dedicated MCRAN **spectrum** for national PPDR: 2 x 3 MHz in Band 28 + 2 x 5 MHz in Band 68
- **QoS, priority and pre-emption** on the MNO network
- **Security-by-design** with **MDM**-enforced policies and **MTD**-protected devices

Why we are choosing for a hybrid network solution (2)




Message Alerting, Voice, video and data services for mission-critical communication and cross-discipline collaboration

- **MCRAN** focused on **MCPTT** voice (spectrum scarceness)
- **Multicasting** (eMBMS) for optimised group communication
- TETRA/MCPTT service **interworking** during the transition phase
- 3GPP-standardised **open-client MCX**, to be connected to the **EUCCS**

Device: Hardware requirements for Mission Critical Broadband



#CMALondon25



- ✓ Operating System
- ✓ PS Enablers
- ✓ Services
- ✓ Release planning
 - ✓ Testing
 - ✓ Security

Device: Software requirements for Mission Critical Broadband

When it comes to devices, NGC has established an approach to guide future program developments but is keeping its options open:

Supported Devices

The selection of devices will be guided by a series of pre-defined criteria:

- B28 + B68 PPDR Ready
- Android (iOS to be investigated in the future)
- eMBMS (Multicast-Broadcast)

eMBMS via a middleware on device is a solution to support different chipset vendors in the future

- eSIM ready

Additionally, these devices will also need to be validated by the MCx supplier, eMBMS & eSIM supplier

Limited devices but the ecosystem is forming itself

Not Supported Devices

Bring-Your-Own-Device (BYOD) will not be supported.

Bring your own device (BYOD) also called bring your own technology (BYOT), bring your own phone (BYOP), — refers to being allowed to use one's personally owned device, versus required to use an officially provided device.

This approach is in conflict with the risks to mitigate (HW+SW) and the end-2-end service responsibility we want to offer

One MC-MDM on PREM.

ASTRID's NextGenCom program: timeline

#CMALondon25

CMA
Critical Messaging Association



WE ARE HERE TODAY

Mid 2028



User requirements



Solution design



Public tenders



Vendor selection



Development & integration



Testing & Trialling



MCX & MC RAN
+ MOCN pilot



National roll-out




Future evolution

What is next?

Extend the Product & Service for the 27,000 users and ensure network expansion through 2032, while maintaining continuity and user satisfaction.

- It would be inefficient and unnecessary to abandon the PoCSAG network when we can maintain and enhance it efficiently for another 7 years.



To be continued ...Thank you!

#CMALondon25

CMA
Critical Messaging Association

